

	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	3	((("4787332") or ("20020025260") or ("20020017238"))).PN.	US-PGPUB; USPAT
2	IS&R	L2	1	("6565333").PN.	US-PGPUB; USPAT
3	BRS	L3	11	("1172581" "2881749" "4750871" "4755113" "4927334" "5104299" "5303854" "6077054" "6092999").PN. OR ("6565333").URPN.	US-PGPUB; USPAT; USOCR
4	IS&R	L4	1	("20040118865").PN.	US-PGPUB; USPAT
5	BRS	L5	1	4 and "56"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	1	4 and ("1" or "5")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	IS&R	L7	260	(417/203).CCLS.	US-PGPUB; USPAT
8	BRS	L8	1	417/201-206	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	IS&R	L9	2615	((417/201-206) or (417/415-417)).CCLS.	US-PGPUB; USPAT
10	BRS	L10	194	9 and ((thread or groove or screw or helix or helical) with (pump)) and ((piston or ram) with (pump))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	IS&R	L11	1	("6558127").PN.	US-PGPUB; USPAT

	Time Stamp	Comments	Error Definition	Errors
1	2006/02/05 09:30			
2	2006/02/05 09:37			
3	2006/02/05 09:30			
4	2006/02/05 09:38			
5	2006/02/05 09:39			
6	2006/02/05 09:41			
7	2006/02/05 09:45			
8	2006/02/05 09:45			
9	2006/02/05 09:46			
10	2006/02/05 10:01			
11	2006/02/05 09:58			

	Type	L #	Hits	Search Text	DBs
12	BRS	L12	26	("1172581" "2429978" "2881749" "4195329" "4320858" "4470752" "4514742" "4750871" "4755113" "4927334" "5104299" "5303854" "5553742" "5641270" "5699934" "5819983" "6077054" "6086183" "6092999" "6257445" "6279842" "6318599" "6364622").PN. OR ("6558127" "6565333" "6679685").URPN.	US-PGPUB; USPAT; USOCR
13	IS&R	L13	2786	((222/1) or (222/333)).CCLS.	US-PGPUB; USPAT
14	BRS	L14	63	13 and ((thread or groove or screw or helix or helical) with (pump)) and ((piston or ram) with (pump))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	8138	((thread or groove or screw or helix or helical) with (pump) with (piston or ram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	8138	15 and ((piston or ram) with (pump))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L17	1714	((thread or groove or screw or helix or helical) near3 (pump)) with (piston or ram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L18	1714	17 and ((piston or ram) with (pump))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L19	306	17 and ((piston or ram) with (gap or distance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
12	2006/02/05 10:01			
13	2006/02/05 10:01			
14	2006/02/05 10:07			
15	2006/02/05 10:08			
16	2006/02/05 10:09			
17	2006/02/05 10:08			
18	2006/02/05 10:09			
19	2006/02/05 10:10			